


Motors and Controls



Application Chart

Motor	Control System	Infrared Remote Control	Radio Remote Transmitter	Radio Remote Wall Switch	Radio Receiver / Control Unit DC	System
2160	9940	n/a	9941, 9942	9943, 9948	9945	2195
9006	9940	n/a	9941, 9942	9943, 9948	9945	2350
9021*	9940	n/a	9941, 9942	9943, 9948	n/a	2500
9041**	9940	n/a	9941, 9942	9943, 9948	n/a	
5091***	5092	5093	n/a	n/a	n/a	
9091	9940	n/a	9941, 9942	9943, 9948	n/a	2650
9091	9940	n/a	9941, 9942	9943, 9948	9945	2950
4460	9940	n/a	9941, 9942	9943, 9948	9945	4860
4460	9940	n/a	9941, 9942	9943, 9948	9945	4870
4460	9940	n/a	9941, 9942	9943, 9948	9945	4880
5091	5092	5093	n/a	n/a	10028	5090
9041	9940	n/a	9941, 9942	9943, 9948	n/a	5200
9041	9940	n/a	9941, 9942	9943, 9948	n/a	5220
5360	9940	n/a	9941, 9942	9943, 9948	n/a	5300
9021	9940	n/a	9941, 9942	9943, 9948	n/a	5400
9031	9940	n/a	9941, 9942	9943, 9948	n/a	
9021	9940	n/a	9941, 9942	9943, 9948	n/a	5420
9031	9940	n/a	9941, 9942	9943, 9948	n/a	



Motor	Control System	Infrared Remote Control	Radio Remote Transmitter	Radio Remote Wall Switch	Radio Receiver / Control Unit DC	System
5805	9940	n/a	9941, 9942	9943, 9948	9945	5800
4460	9940	n/a	9941, 9942	9943, 9948	9945	8600
9009	9940	n/a	9941, 9942	9943, 9948	9945	8700
9009	9940	n/a	9941, 9942	9943, 9948	9945	8800




- * with system Silent Gliss 5200
- ** with system Silent Gliss 5400
- *** with system Silent Gliss 5090





Radio Remote Control System

Silent Gliss® 9940




Product Information

- Radio controlled - no wiring.
- For use with most Silent Gliss electrically operated window treatment systems.
- 1-channel or 5-channel remote transmitters and wall switches for one or more receivers available.
- Large Up-Stop-Down buttons.
- Uses standard batteries.
- Radio remote receivers applicable with motors without integrated receiver.



9940

Radio Remote Transmitters




Silent Gliss 9941 Remote Transmitter, 1 Channel

Remote Transmitter MonoTel 915 MHz

Function: 1-Channel

The transmitter can operate one receiver or one group of receivers.




Silent Gliss 9942 Remote Transmitter, 5+1 Channel

Remote Transmitter VarioTel 915 MHz

Function: 5+1 Channel

The transmitter can operate up to five receivers individually or up to five groups of receivers individually or altogether.



Silent Gliss 9943 Remote Wall Switch

Remote Wall Switch MemoTec 915 MHz


Function: 1-Channel with timer

The transmitter can be used to operate one receiver or one group of receivers.

- Intelligent switch with daily switching time
- Weekly switching time
- Intermediate position
- Ventilation or tilting position
- No wiring necessary



9940




Silent Gliss 9948 Remote Wall Switch

Remote Wall Switch AstroTec 915 MHz

Function: 1-Channel with various functions

The AstroTec transmitter can be used to operate one receiver or one group of receivers.

- Programmable sunrise and sunset time
- Holiday modes
- Intermediate position
- Accessory devices and timer on/off
- Menu navigation in 15 languages
- No wiring necessary



Silent Gliss 9945 Remote Receiver

Remote Receiver Combio RM 915 MHz, 120 V

Function: 1-Channel


The Remote RM Receiver can operate one motor or one group of motors (relay for each motor). Wiring over the mains.

Radio Remote Transmitters

9941 Remote Transmitter, 1 channel



9942 Remote Transmitter, 5+1 channel



9943 Remote Wall Switch




9948 Remote Wall Switch with Timer




Radio Remote Receivers

9945 Remote Receiver



Combination Transmitters / Receivers

Motors with integrated receiver



A: 230V / 24 V



The following motors with integrated receiver can be operated directly with remote transmitters Silent Gliss 9941, 9942, 9943 or 9948:

Motors 9021, 9031 (Systems 5400, 5420)
 Motor 9041 (Systems 5200, 5220)
 Motor 9091 (Systems 2650, 2950)



9940

Motors without integrated receivers (230 V - 90 V)



A: 230 V - 90 V

The following motors without integrated receivers can be operated in combination with receiver Silent Gliss 9945:

Motor 2160 (Systems 2195)
 Motor 4460 (Systems 4880, 8600)
 Motor 4575 (Systems 4860, 4870)
 Motor 5360 (System 5300, not applicable for 115 V and 100 V)
 Motor 5805 (System 5800)
 Motors 9006 (System 2350)
 Motor 9009 (Systems 8700, 8800)

For specific wiring diagrams and detailed information about each motor and systems compatible with the Radio Remote Control System Silent Gliss 9940, please contact Silent Gliss.

www.silentgliss-usa.com

Silent Gliss USA Inc.
1850 Beaver Ridge Circle, Suite A
Norcross GA 30071

Phone: 770-466-4811
Toll Free: 1-800-938-7225
Fax: 770-466-4814
info@silentgliss-usa.com

www.brading.com

Brading Specialty Shades
3204 Yonge Street
Toronto, ON M4N 2L2

Phone: 416-488-6600
Toll Free: 1-866-BRADING
Fax: 416-488-9821
info@brading.com